

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

FIG. 1




FIG. 2




FIG. 3A



FIG. 3B



FIG. 3C



FIG. 4A

CIRCULAR ARC WITH DIAMETER OF 30 mm
CURVATURE RADIUS $R = 15 \text{ mm} (\pm 3 \text{ mm})$




FIG. 4B

$R = 1.5 \text{ cm}$
BRISTLE LENGTH VARIES
IF THE POSITION OF THE BRISTLE IMPLANTATION PART
IS SHIFTED IN THE VERTICAL DIRECTION.




FIG. 4C




FIG. 4D




FIG. 5A




FIG. 5B




FIG. 6




FIG. 7

MALE AVERAGE = 28.3 TO 28.8 mm
FEMALE AVERAGE = 27.0 TO 28.0 mm




FIG. 8

MALE = 33 mm (± 3 mm)
FEMALE = 32 mm (± 3 mm)
CURVATURE RADIUS R = 15 mm (± 1.5 mm)




FIG. 9A




FIG. 9B




FIG. 10

AVERAGE VALUES FOR JAPANESE

MALE	57 mm
FEMALE	55.1 mm




FIG. 11




FIG. 12




FIG. 13A

(OCCLUSION OF UPPER AND LOWER TEETH)




FIG. 13B

